

Getting to Know the Stellar Clusters in NGC 1569

Bjarki Björgvinsson

10''
157.5 pc

Pointing 1

Pointing 2

Pointing 3

HST (ACS F814W)


10 parsec

KCWI (summed over spectral axis)

10 parsec

NGC 1569
red: F658N filter ($H\alpha$ + $[N II]$),
green: F606W filter,
light blue: F5002N filter ($[O III]$)
dark blue: F487N filter ($H\beta$)

See also figure 1,
Hamel-Bravo et al.
(2024)



Star formation episodes



Our work
2 episodes,
 8.3 ± 1.5 Myr and 45 ± 1.5 Myr



Greggio+ 98
1 inferred episode,
5-100 Myr



Angeretti+ 05
2 inferred episodes,
13-37 Myr and 40-300 Myr



Anders+ 04
2 episodes,
 25 ± 4 and 100 ± 4 Myr
Assuming fully sampled IMF



Anders+ 04 (stochastic)
2 episodes,
 16 ± 5.4 and 34 ± 4.7 Myr
Assuming stochastically sampled IMF (Krumholz+ 15, fig 13)

Why Clusters Matter

As the birthplaces of most stars, **stellar clusters**, link star formation and galaxy evolution.

We study clusters in **NGC 1569**, a nearby, low-metallicity, low-mass galaxy, using **high-res HST imaging and Keck/KCWI IFU data** to trace how stars form and shape their environment.

NGC 1569 at a glance

$D = 3.25$ Mpc (Tully+ 13)

$12 + \log(O/H) = 8.2$
(Kobulnicky+ 97)

$M_{\star} = 10^{8.6} M_{\odot}$ (Leroy+ 19)

Breaking Degeneracies

Clusters may appear redder due to either **dust extinction** or **stellar ageing**—two effects that can look the same.




We disentangle them using **broad wavelength coverage** to capture both massive, blue stars and lower-mass, red stars.

Since low-mass clusters ($< 10^4 M_{\odot}$) often don't fully sample the IMF, we model **stochastic effects** to avoid this assumption.

Recovering Star Formation Peaks

- Simulate 10^7 synthetic clusters with SLUG (da Silva+ 12, 14; Krumholz+ 15)
- Bayesian inference with the Python library cluster_slug
- Correct for extinction using $H\beta/H\gamma$ ratios.

Key Result: We only recover the **two peaks of star formation** in NGC 1569 if we **combine HST and KCWI** and **account for stochasticity** in star formation.



Durham
University

In collaboration with:

Anna McLeod, Bronwyn Reichardt Chu,
Magdalena Hamel-Bravo, Deanne Fisher,
Mark Krumholz

bjarki.bjorgvinsson@durham.ac.uk

References:

Hamel-Bravo M. J., et al., 2024, MNRAS, 530, 3855
Krumholz M. R., Fumagalli M., Da Silva R. L., Renda T., Parra J., 2015, MNRAS, 452, 1447
Kobulnicky H. A., Skillman E. D., 1997, ApJ, 489, 636
Leroy A. K., et al., 2019, ApJ, 885, 244, 24
Silva R. L., Fumagalli M., Krumholz M., 2012, ApJ, 745, 145
da Silva R. L., Fumagalli M., Krumholz M. R., 2014, MNRAS, 444, 3275
Tully R. B., et al., 2013, AJ, 146, 86